(*i*) This is the general policy of the Government where the factors of the locality are favourable and is given effect to in the intensive programme of afforestation that is being pursued from year to year subject to the limitation of funds, as may be seen from the annual Administration reports of the Department.

AFFORESTATION AS PREVENTIVE TO FLOODS AND DROUGHTS

267. Mr. C. V. Iyyu *(Kunnamkulam):* Will the Government be pleased to state:—

(*a*) the total extent of *poramboke* land lying waste on the range of hills lying from east-west almost through the middle of Talappalli Taluk from Machad to Vellattanjoor ;

(*b*) whether the member for Kunnamkulam suggested the idea of growing forests on these waste lands to regulate the flow of water in Keecheri River by a resolution in the last Council;

(*c*) whether the Irrigation Board, Trichur group, adopted this in their report of the investigation for the averting of the floods and droughts in the paddy-fields of Keecheri ;

(*d*) what decision the Government has arrived at in this important problem ?

Mr. V. K. Aravindaksha Menon *(Chief Engineer):* (*a*) 1850·72¾ acres.

(*b*) Yes, in respect of waste lands lying between Vadakkancheri and Erumapetty.

(*c*) There was no definite recommendation from the Irrigation Board regarding this matter.

(*d*) This question does not arise in view of the answer given to sub-division (*c*) above.

RAM MOHAN PALACE—ELECTRIFICATION—QUALIFICATIONS OF CONTRACTOR

268. Mr. V. K. Bhaskara Menon *(Cranganur):* Will the Government be pleased to state whether the contractor entrusted with the electrification of the Ram Mohan Palace has been exempted from possessing the necessary qualifications required by the rules

LIBRARY ARCHIVES Kerala Legislative Assembly

framed under the Electricity Act and if the answer is in the negative, will the Government be pleased to state his qualifications ?

Mr. V. K. Aravindaksha Menon *(Chief Engineer):* The rules for granting licenses to contractors and certificates and permits for supervisors and wiremen were published only on 2nd February 1939/20th Makaram 1114 and the examination contemplated under the rules have not been held so far. The rules could, therefore, be strictly enforced only after holding an examination which is proposed to be held shortly.

KONTHIPULAM ROAD—COMPLETION OF

269. മിസ്റ്റർ കെ. എസ്സ്. പണിക്കർ: തഴെ പായുന്ന ചോദ്യങ്ങൾക്ക് ഗവൺമെണ്ട് ഒയവായി മറുപടി പറയുമോ.—

(എ) കോന്തിപുലം റോഡിന്റെ പണിക്കാവശ്യമായ സ്ഥലം അക്വയർ ചെയ്യുകഴിഞ്ഞുവൊ ;

(ബി) പ്രസ്തുത വഴിപ്പണി ഇക്കൊല്ലംതന്നെ ആരംഭിക്കുന്നില്ലേ ;

(സി) റോഡ് ബോർഡിന്റെ പ്രോഗ്രാമനുസരിച്ച് പ്രസ്തുത വഴിയുടെ പണി ഫ്രഫസ്-ൽ അവസാനിപ്പിക്കുന്നതിനു് ഗവൺമെണ്ട് പ്രത്യേകം ശ്രദ്ധിക്കുമൊ ;

(ഡി) പ്രസ്തുത വഴിയുടെ പണി ഏതെങ്കിലും തൊടുന്യായത്തിന്മേൽ തല്ക്കാലം നടത്തിക്കാതിരിപ്പാൻ ആരെങ്കിലും ഏതെങ്കിലും പ്രവർത്തിച്ചുവരുന്നതായി ഗവൺമെണ്ടിന്നറിവുണ്ടൊ ?

മിസ്റ്റർ വി. കെ. അരവിന്ദാക്ഷമേനോൻ: (എ) ഇല്ല.

(ബി) ഈ പണിയുടെ എസ്റ്റിമേറ്റ് തയ്യാറാക്കിവരുന്നുണ്ട്. സ്ഥലം അക്വയർ ചെയ്തുകിട്ടിയാൽ കഴിയുന്ന വേഗത്തിൽ പണി ആരംഭിക്കുന്നതാണ്.

(സി) ഉവ്വ്.

(ഡി) ഇല്ല.

APPANGHAT CANAL—AGREEMENT FOR DIGGING

270. Mr. V. K. Bhaskara Menon *(Cranganur):* Will the Government be pleased to state whether in the matter of Appanghat canal at Narakkal agreements were executed by any person or persons to the effect that they would contribute to the digging of the canal after the Government had acquired the land ?

Mr. V. K. Aravindaksha Menon *(Chief Engineer):* One person had executed a kychit for digging a portion of the canal.

LIBRARY ARCHIVES Kerala Legislative Assembly